

Улучшение качества жизни при химиотерапии

Статья из журнала «Cancer Chemother Pharmacol», 2009 г.

Молекулярный водород уменьшает нефротоксичность противоопухолевого препарата цисплатина, не ухудшая его противоопухолевую активность.

Результат исследования

Ингаляция водорода улучшает показатели летальности и снижения массы тела, обусловленных цисплатином, а также уменьшает нефротоксичность.

Употребление воды с двойным обогащением водородом снижает оксидативный стресс, летальность и снижение массы тела, вызванные цисплатином.

Употребление водородной воды улучшает метаморфоз, что сопровождается уменьшением интенсивности апоптоза в почках, а также нефротоксичность, которая оценивается по концентрации креатинина в сыворотке крови к уровню АМК.

Вода с двойным обогащением водородом обладает способностью улучшать качество жизни пациентов во время химиотерапии путем эффективного устранения побочных эффектов цисплатина.

Cancer Chemother Pharmacol (2009) 64:753–761
DOI 10.1007/s00280-008-4924-2

ORIGINAL ARTICLE

Molecular hydrogen alleviates nephrotoxicity induced by an anti-cancer drug cisplatin without compromising anti-tumor activity in mice

Naomi Nakashima-Kaminuma · Takashi Mori ·
Ikuroh Ohsawa · Sadamitsu Aosh · Shigeo Ohta

Received: 24 September 2008 / Accepted: 30 December 2008 / Published online: 16 January 2009
© Springer-Verlag 2009

Abstract

Purpose Cisplatin is a widely used anti-cancer drug in the treatment of a wide range of tumors; however, its application is limited by nephrotoxicity, which is affected by oxidative stress. We have reported that molecular hydrogen (H₂) acts as an efficient antioxidant (Ohsawa et al. in Nat Med 13:688–694, 2007). Here we show that hydrogen efficiently mitigates the side effects of cisplatin by reducing oxidative stress.

Methods Mice were administered cisplatin followed by inhaling hydrogen gas (1% H₂ in air). Furthermore, instead of inhaling hydrogen gas, we examined whether drinking water containing hydrogen (hydrogen water; 0.8 mM H₂ in water) is applicable by examining oxidative stress, mortality, and body-weight loss. Nephrotoxicity was assessed by morphological changes, serum creatinine and blood urea nitrogen (BUN) levels.

Results Inhalation of hydrogen gas improved mortality and body-weight loss caused by cisplatin, and alleviated nephrotoxicity. Hydrogen was detected in blood when hydrogen water was placed in the stomach of a rat. Consuming hydrogen water ad libitum also reduced oxidative stress, mortality, and body-weight loss induced by cisplatin in mice. Hydrogen water improved metamorphosis accompanying decreased apoptosis in the kidney, and nephrotoxicity as assessed by serum creatinine and BUN levels. Despite its protective effects against cisplatin-induced toxicity, hydrogen did not impair anti-tumor activity of cisplatin against cancer cell lines in vitro and tumor-bearing mice in vivo.

Conclusion Hydrogen has potential for improving the quality of life of patients during chemotherapy by efficiently mitigating the side effects of cisplatin.

Keywords Antioxidant · Cisplatin · Dihydrogen · Oxidative stress · Side effect